

REFERENCES

- Ashley, W. S., and A. W. Black, 2008: Fatalities associated with nonconvective high-wind events in the United States. *J. Appl. Meteor. Climatol.*, **47**, 717–725.
- Atkins, N. T., C. S. Bouchard, R. W. Przybylinski, R. J. Trapp, and G. Schmocker, 2005: Damaging surface wind mechanism within the 10 June 2003 Saint Louis bow echo during BAMEX. *Mon. Wea. Rev.*, **133**, 2275–2296.
- , and M. St. Laurent, 2009: Bow echo mesovortices. Part I: Processes that influence their damaging potential. *Mon. Wea. Rev.*, **137**, 1497–1513.
- Benjamin, S. G., and Coauthors, 2002: RUC20 – The 20-km version of the Rapid Update Cycle. NWS Technical Procedures Bulletin 490, National Oceanic and Atmospheric Administration/National Weather Service, 30 pp.
- Black, A. W., and W. S. Ashley, 2009: Nontornadic convective wind fatalities in the United States. *Nat. Hazards*, 12 pp.
- Bosart, L. F., W. E. Bracken, and A. Seimon, 1998: A study of cyclone mesoscale structure with emphasis on a large-amplitude inertia–gravity wave. *Mon. Wea. Rev.*, **126**, 1497–1527.
- Browning, K. A., and F. H. Ludlam, 1962: Airflow in convective storms. *Quart. J. Roy. Meteor. Soc.*, **88**, 117–135.
- , 1990: Organization of Clouds and Precipitation in Extratropical Cyclones. *Extratropical Cyclones, The Erik Palmén Memorial Volume*, C. W. Newton and E. O. Holopainen, Eds., Amer. Meteor. Soc., 129–151.
- , and R. Reynolds, 1994: Diagnostic study of a narrow cold-frontal rainband and severe winds associated with a stratospheric intrusion. *Quart. J. Roy. Meteor. Soc.*, **120**, 235–257.
- , 2004: The sting at the end of the tail: Damaging winds associated with extratropical cyclones. *Quart. J. Roy. Meteor. Soc.*, **130**, 375–399.
- , and M. Field, 2004: Evidence from Meteosat imagery of the interaction of sting jets with the boundary layer. *Meteorol. Appl.*, **11**, 277–289.
- Burke, P. C., and D. M. Schultz, 2004: A 4-yr climatology of cold-season bow echoes over the continental United States. *Wea. Forecasting*, **19**, 1061–1074.
- Carlson, T. N., 1980: Airflow through midlatitude cyclones and the comma cloud pattern. *Mon. Wea. Rev.*, **108**, 1498–1509.

- Clark, P. A., K. A. Browning, and C. Wang, 2005: The Sting at the end of the tail: Model diagnostics of fine-scale 3D structure of the cloud head. *Quart. J. Roy. Meteor. Soc.*, **131**, 2263–2292.
- Coniglio, M. C., and D. J. Stensrud, 2004: Interpreting the climatology of derechos. *Wea. Forecasting*, **19**, 595–605.
- Corfidi, S. F., S. J. Corfidi, D. A. Imy, and A. L. Logan, 2006: A preliminary study of severe wind-producing MCSs in environments of limited moisture. *Wea. Forecasting*, **21**, 715–734.
- DesJardins, M. L., K. F. Brill, and S. S. Schotz, 1991: GEMPAK 5 Part I—GEMPAK 5 programmer’s guide. National Aeronautics and Space Administration. [Available from Scientific and Technical Information Division, Goddard Space Flight Center, Greenbelt, MD 20771.
- Doswell, C. A., III, H. E. Brooks, and M. P. Kay, 2005: Climatological estimates of daily nontornadic severe thunderstorm probability for the United States. *Wea. Forecasting*, **20**, 577–595.
- Fujita, T. T., and H. R. Byers, 1977: Spearhead echo and downbursts in the crash of an airliner. *Mon. Wea. Rev.*, **105**, 129–146.
- , 1978: Manual of downburst identification for project NIMROD. University of Chicago SMRP Research Paper 156, 104 pp.
- Gatzen, C., T. Púčik, and D. Ryva, 2009: Comparison of two cold-season mesoscale convective systems. Preprints, *5th European Conference on Severe Storms*, 12–16 October 2009, Landshut, Germany
- Grønås, S., 1995: The seclusion intensification of the New Years Day storm 1992. *Tellus*, **47** (A), 733–746.
- Grumm, R. H., and M. Glazewski, 2004: Thunderstorm types associated with the ‘broken-S’ radar signature. Preprints, *22nd Conf. on Severe Local Storms*, 4–8 October 2004, Myannis, MA. American Meteorological Society: MA, USA. CD-ROM: P7.1.
- Hales, J. E., Jr., 1993: Biases in the severe thunderstorm data base: Ramifications and solutions. Preprints, *13th Conf. on Weather Analysis and Forecasting*, Vienna, VA, Amer. Meteor. Soc., 504–507.
- Hookings, G. A., 1965: Precipitation-maintained downdrafts. *J. Appl. Meteor.*, **4**, 190–195.

- Iacopelli, A. J., and J. A. Knox, 2001: Mesoscale dynamics of the record-breaking 10 November 1998 mid-latitude cyclone: A satellite-based case study. *Natl. Wea. Dig.*, **25** (1), 33–42.
- Idone, V. P., D. A. Davis, P. K. Moore, Y. Wang, R. W. Henderson, M. Ries, and P. F. Jamason, 1998a: Performance evaluation of the National Lightning Detection Network in eastern New York. 1: Detection efficiency. *J. Geophys. Res.*, **103**, 9045–9055.
- , ———, ———, ———, ———, ———, and ———, 1998b: Performance evaluation of the National Lightning Detection Network in eastern New York. 2: Location accuracy. *J. Geophys. Res.*, **103**, 9057–9069.
- Johns, R. H., and W. D. Hirt, 1987: Derechos: Widespread convectively induced windstorms. *Wea. Forecasting*, **2**, 32–49.
- , 1993: Meteorological conditions associated with bow echo development in convective storms. *Wea. Forecasting*, **8**, 294–299.
- Kalnay, E., M. Kanamitsu, R. Kistler, W. Collins, D. Deaven, L. Gandin, M. Iredell, S. Saha, G. White, J. Woollen, Y. Zhu, A. Leetmaa, B. Reynolds, M. Chelliah, W. Ebisuzaki, W. Higgins, J. Janowiak, K. C. Mo, C. Ropelewski, J. Wang, R. Jenne, and D. Joseph, 1996: The NCEP/NCAR 40-year reanalysis project. *Bull. Amer. Meteor. Soc.*, **77**, 437–471.
- Kapela, A. F., P. W. Leftwich, and R. Van Ess, 1995: Forecasting the impacts of strong wintertime post-cold front winds in the northern plains. *Wea. Forecasting*, **10**, 229–244.
- Kelly, D. L., J. T. Schaefer, and C. A. Doswell III, 1985: Climatology of nontornadic severe thunderstorm events in the United States. *Mon. Wea. Rev.*, **113**, 1997–2014.
- Koppel, L. L., L. F. Bosart, and D. Keyser, 2000: A 25-yr climatology of large-amplitude hourly surface pressure changes over the conterminous United States. *Mon. Wea. Rev.*, **128**, 51–68.
- Kuchera, E. L., and M. D. Parker, 2006: Severe convective wind environments. *Wea. Forecasting*, **21**, 595–612.
- Lacke, M.C., J.A. Knox, J.D. Frye, A.E. Stewart, J.D. Durkee, C.M. Fuhrmann, and S.M. Dillingham. 2007. A climatology of non-convective wind events in the Great Lakes. *J. Climate*, **20**, 6012–6022.

- Lee, J. E., and D. T. Myrick, 2000: High wind climatology for southern New England from 1993 to 1999. *20th Conference on Severe Local Storms*, Orlando, FL: American Meteorological Society.
- Locatelli, J. D., R. D. Schwartz, M. T. Stoelinga, and P. V. Hobbs, 2002: Norwegian-type and cold front aloft-type cyclones east of the Rocky Mountains. *Wea. Forecasting*, **17**, 66–82.
- Mass, C. F., and B. Dotson, 2010: Major Extratropical Cyclones of the Northwest United States: Historical Review, Climatology, and Synoptic Environment. *Mon. Wea. Rev.*, Accepted.
- McAvoy, B.P, W.A. Jones, and P.D. Moore 2000: Investigation of an unusual storm structure associated with weak to occasionally strong tornadoes over the eastern United States. Preprints, *20th Severe Local Storms Conference*, Orlando, FL, Amer. Meteor. Soc., 182–185.
- McCann, D. W., 1978: Severe convective storms with little or no thunder. *Natl. Wea. Dig.*, **3** (2), 2–5.
- Nakamura, H., 1992: Midwinter suppression of baroclinic wave activity in the Pacific. *J. Atmos. Sci.*, **49**, 1629–1642.
- Niziol, T. A., and T. J. Paone, 2000: A climatology of non-convective high wind events in western New York State. *NOAA Tech. Memo*, NWS ER-91, 36 pp.
- Orville, R. E., 1991: Calibration of a magnetic direction finding network using measured triggered lightning return stroke peak currents. *J. Geophys. Res.*, **96**, 17 135–17 142.
- Parton, G. A., G. Vaughan, E. G. Norton, K. A. Browning, and P. A. Clark, 2009: Wind profiler observations of a sting jet. *Quart. J. Roy. Meteor. Soc.*, **135**, 663–680.
- Pedgley, D. E., 1997: The Fastnet storm of 1979: A mesoscale surface jet. *Weather*, **52**, 230–242.
- Pettegrew, B. P., P. S. Market, R. A. Wolf, R. L. Holle, and N. W. S. Demetriades, 2009: A Case Study of Severe Winter Convection in the Midwest. *Wea. Forecasting*, **24**, 121–139.
- Przybylinski, R.W., 1995: The bow echo. Observations, numerical simulations, and severe weather detection methods. *Wea. Forecasting*, **10**, 203–218.
- Sanders, F., and J. R. Gyakum, 1980: Synoptic–dynamic climatology of the “bomb.” *Mon. Wea. Rev.*, **108**, 1589–1606.

- Schmidlin, T. W., 2009: Human Fatalities from Wind-Related Tree Failures in the United States from 1995–2007. *Nat. Hazards*, **50**, 13–25.
- Schultz, D. M., 2001: Re-examining the cold conveyor belt. *Mon. Wea. Rev.*, **129**, 2205–2225.
- Shapiro, M. A., and D. Keyser, 1990: Fronts, jet streams and the tropopause. *Extratropical Cyclones, The Erik Palmén Memorial Volume*, C. W. Newton and E. O. Holopainen, Eds., Amer. Meteor. Soc., 167–191.
- Sienkiewicz, J. M., J. M. Von Ahn, and G. M. McFadden, 2004: Hurricane force extratropical cyclones. Preprints, *21st Conf. on Weather Analysis and Forecasting/17th Conf. on Numerical Weather Prediction*, Seattle, WA, Amer. Meteor. Soc., CD-ROM, 4A.3.
- Smull, B. F., and R. A. Houze Jr., 1987: Rear inflow in squall lines with trailing stratiform precipitation. *Mon. Wea. Rev.*, **115**, 2869–2889.
- Srivastava, R. C., 1985: A simple model of evaporatively driven downdraft: Application to microburst downdraft. *J. Atmos. Sci.*, **44**, 1752–1774.
- , 1987: A model of intense downdrafts driven by the melting and evaporation of precipitation. *J. Atmos. Sci.*, **44**, 1752–1774.
- Steenburgh, W.J., and C.F. Mass, 1996: Interaction of an intense extratropical cyclone with coastal orography. *Mon. Wea. Rev.*, **124**, 1329–1352.
- Stull, R. B., 1988: *An Introduction to Boundary Layer Meteorology*. Kluwer Academic Publishers, 666 pp.
- Trapp, R. J., and M. L. Weisman, 2003: Low-level mesovortices within squall lines and bow echoes. Part II: Their genesis and implications. *Mon. Wea. Rev.*, **131**, 2804–2823.
- , D. M. Wheatley, N. T. Atkins, R. W. Przybylinski, and R. Wolf, 2006: Buyer beware: Some words of caution on the use of severe wind reports in postevent assessment and research. *Wea. Forecasting*, **21**, 408–415.
- van den Broeke, M. S., D. M. Schultz, R. H. Johns, J. S. Evans, and J. E. Hales, 2005: Cloud-to-ground lightning production in strongly forced, low-instability convective lines associated with damaging wind. *Wea. Forecasting*, **20**, 517–530.
- Wakimoto, R. M. 2001: Convectively driven high wind events. *Severe Convective Storms, Meteor. Monogr.*, No. 50, Amer. Meteor. Soc., 255–298.

- , H. V. Murphey, C. A. Davis, and N. T. Atkins, 2006: High winds generated by bow echoes. Part II: The relationship between the mesovortices and damaging straight-line winds. *Mon. Wea. Rev.*, **134**, 2813–2829.
- Weisman, M. L., and R. J. Trapp, 2003: Low-level mesovortices within squall lines and bow echoes. Part I: Overview and sensitivity to environmental vertical wind shear. *Mon. Wea. Rev.*, **131**, 2779–2803.
- Weiss, S. J., and M. D. Vescio, 1998: Severe local storm climatology 1955–1996: Analysis of reporting trends and implications for NWS operations. Preprints, *19th Conf. on Severe Local Storms*, Minneapolis, MN, Amer. Meteor. Soc., 536–539.
- , J. A. Hart, and P. R. Janish, 2002: An examination of severe thunderstorm wind report climatology: 1970–1999. Preprints, *21st Conf. on Severe Local Storms*, San Antonio, TX, Amer. Meteor. Soc., 446–449.